

L Number	Hits	Search Text	DB	Time stamp
-	0	(wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3)) and ((370/320).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/13 09:30
-	0	1109365.URPN.	USPAT	2004/10/12 14:14
-	0	1109365.URPN.	USPAT	2004/10/12 14:14
-	277	wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3) and (quality qos) and slot\$5	USPAT; US-PGPUB; EPO	2004/10/13 08:05
-	423	wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3) and (quality qos)	USPAT; US-PGPUB; EPO	2004/10/12 14:14
-	3654	((370/412) or (370/468) or (370/477) or (370/395.4)).CCLS.	USPAT; US-PGPUB; EPO	2004/10/12 14:14
-	219	UESUGI-MITSURU.in.	USPAT; US-PGPUB; EPO	2004/10/12 14:14
-	319	(radio ADJ communication ADJ device).ti.	USPAT; US-PGPUB; EPO	2004/10/12 14:14
-	1341	radio ADJ communication ADJ device	USPAT; US-PGPUB; EPO	2004/10/12 14:15
-	90821	radio and communication and device	USPAT; US-PGPUB; EPO	2004/10/12 14:15
-	488	wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation)	USPAT; US-PGPUB; EPO	2004/10/12 14:16
-	472	wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3)	USPAT; US-PGPUB; EPO	2004/10/12 14:16
-	452	(370/320).CCLS.	USPAT; US-PGPUB; EPO	2004/10/12 14:16
-	530	wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3)	USPAT; US-PGPUB; EPO	2004/10/12 14:16
-	66	(370/322).CCLS.	USPAT; US-PGPUB; EPO	2004/10/12 14:16
-	4457131	@ad<=19990624	USPAT; US-PGPUB; EPO	2004/10/12 14:17
-	1837870	@ad>19990624	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	2522	((455/450) or (455/422.1) or (455/509)).CCLS.	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	1	("6366763").PN.	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	258	KATO-OSAMU.in.	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	14	KATO-OSAMU.in. and ((radio ADJ communication ADJ device).ti.)	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	3	UESUGI-MITSURU.in. and ((radio ADJ communication ADJ device).ti.)	USPAT; US-PGPUB; EPO	2004/10/12 14:18

-	5	SHI-GUIZENG.in.	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	4	(radio ADJ communication ADJ device) and UESUGI-MITSURU.in.	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	25	UESUGI-MITSURU.in. and (radio and communication and device)	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	149	(wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3)) and @ad<=19990624	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	74	(wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3)) and ((370/395.1-395.72).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	49	queuing ADJ0 cell	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	77	(wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3)) and ((370/395.1-395.72).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	36	(wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3)) and ((370/329-337).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	2	(wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3)) and ((370/322).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	381	(wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3)) and @ad>19990624	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	436	wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3) AND (circ\$5 ring rotat\$4 loop)	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	18	(wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3)) and (((455/450) or (455/422.1) or (455/509)).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	357	wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3) AND frame AND (allocat\$4 or assign\$4)	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	31	((370/412) or (370/468) or (370/477) or (370/395.4)).CCLS.) and (wireless AND ATM AND queue\$4 AND cell AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3) and (quality qos))	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	4	((370/412) or (370/468) or (370/477) or (370/395.4)).CCLS.) and ((370/310.1-310.2).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 14:18
-	2042	(circu\$4 cycl\$2 rotat\$4) AND queue\$4 AND (cell packet) AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3) and (quality qos) and wireless	USPAT; US-PGPUB; EPO	2004/10/12 15:18
-	91	((circu\$4 cycl\$2 rotat\$4) AND queue\$4 AND (cell packet) AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3) and (quality qos) and wireless) and (((370/338) or (370/348-349)).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 15:18
-	2057	(circu\$4 cycl\$2 rotat\$4) AND queue\$4 AND (cell packet) AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless	USPAT; US-PGPUB; EPO	2004/10/12 15:19
-	92	((circu\$4 cycl\$2 rotat\$4) AND queue\$4 AND (cell packet) AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless) and (((370/338) or (370/348-349)).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 15:20
-	74	((circu\$4 cycl\$2 rotat\$4) AND queue\$4 AND (cell packet) AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and (((370/338) or (370/348-349)).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 15:20

-	3645	((370/412) or (370/468) or (370/477) or (370/395.41-395.43)).CCLS.	USPAT; US-PGPUB; EPO	2004/10/12 16:28
-	4462	(370/395.1-395.72).CCLS.	USPAT; US-PGPUB; EPO	2004/10/12 16:20
-	84	(370/310.1-310.2).CCLS.	USPAT; US-PGPUB; EPO	2004/10/12 16:21
-	52	((circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet) AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and (((370/412) or (370/468) or (370/477) or (370/395.41-395.43)).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 16:45
-	48	((circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet) AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and ((370/395.1-395.72).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 16:31
-	106	((circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet) AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and ((370/329-337).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 16:31
-	1640	(circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet) AND monitor\$4 AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame	USPAT; US-PGPUB; EPO	2004/10/12 17:22
-	77	((circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet) AND monitor\$4 AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and (((370/412) or (370/468) or (370/477) or (370/395.41-395.43)).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 16:57
-	58	((circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet) AND monitor\$4 AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and ((370/395.1-395.72).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 16:55
-	1712	(circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet slot timeslot sub-slot) AND monitor\$4 AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame	USPAT; US-PGPUB; EPO	2004/10/12 16:57
-	79	((circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet slot timeslot sub-slot) AND monitor\$4 AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and (((370/412) or (370/468) or (370/477) or (370/395.41-395.43)).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 16:58
-	58	((circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet slot timeslot sub-slot) AND monitor\$4 AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and ((370/395.1-395.72).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 16:59
-	4	((circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet slot timeslot sub-slot) AND monitor\$4 AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and ((370/310.1-310.2).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 16:59
-	142	((circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet slot timeslot sub-slot) AND monitor\$4 AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and ((370/329-337).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 16:59
-	44	(wireless and monitor\$4 and frame and (QoS or quality) and transmission and queu\$4 and cell and stor\$4 and user\$1 and \$4slot) and (((370/338) or (370/348-349)).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/12 17:28
-	106	((circu\$4 cycl\$2 rotat\$4) AND queu\$4 AND (cell packet) AND monitor\$4 AND (status situation) AND (stor\$4 memor\$3 buffer\$2) and (quality qos) and wireless AND frame) and ((370/329-337).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/13 07:58
-	511	apparatus AND monitor\$3 and frame and queu\$3 and cell and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot	USPAT; US-PGPUB; EPO	2004/10/13 09:05

-	811	monitor\$3 and frame and queue\$3 and cell and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot	USPAT; US-PGPUB; EPO	2004/10/13 09:39
-	2498	((370/338) or (370/348-349)).CCLS.	USPAT; US-PGPUB; EPO	2004/10/13 09:30
-	50	(monitor\$3 and frame and queue\$3 and cell and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot) and	USPAT; US-PGPUB; EPO	2004/10/13 09:14
-	1395	((370/338) or (370/348-349)).CCLS.) (370/338).CCLS.	USPAT; US-PGPUB; EPO	2004/10/13 09:30
-	850	monitor\$3 and frame and queue\$3 and cell\$1 and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot and user\$1	USPAT; US-PGPUB; EPO	2004/10/13 09:40
-	26	((370/338).CCLS.) and (monitor\$3 and frame and queue\$3 and cell\$1 and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot and user\$1)	USPAT; US-PGPUB; EPO	2004/10/13 10:18
-	29	((370/338).CCLS.) and (monitor\$3 and frame and queue\$3 and cell\$1 and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot\$1 and user\$1)	USPAT; US-PGPUB; EPO	2004/10/13 10:18
-	29	((370/348-349).CCLS.) and (monitor\$3 and frame and queue\$3 and cell\$1 and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot\$1 and user\$1)	USPAT; US-PGPUB; EPO	2004/10/13 10:30
-	45	((370/348-349).CCLS.) and (monitor\$3 and frame and queue\$3 and packet\$1 and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot\$1 and user\$1)	USPAT; US-PGPUB; EPO	2004/10/13 11:52
-	3406	((370/468) or (370/477) or (370/412)).CCLS.	USPAT; US-PGPUB; EPO	2004/10/13 15:17
-	1231	monitor\$3 and frame and queue\$3 and packet\$1 and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot\$1 and user\$1	USPAT; US-PGPUB; EPO	2004/10/13 12:08
-	97	((370/468) or (370/477) or (370/412)).CCLS.) and (monitor\$3 and frame and queue\$3 and packet\$1 and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot\$1 and user\$1)	USPAT; US-PGPUB; EPO	2004/10/13 11:53
-	44	((370/468) or (370/477) or (370/412)).CCLS.) and (wireless AND monitor\$3 and frame and queue\$3 and packet\$1 and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot\$1 and user\$1)	USPAT; US-PGPUB; EPO	2004/10/13 13:25
-	1	("6597669").PN.	USPAT; US-PGPUB; EPO	2004/10/13 14:30
-	748	wireless AND monitor\$3 and frame and queue\$3 and packet\$1 and (stor\$3 or memor\$3) and (qos or quality) and allocat\$3 and \$4slot\$1 and user\$1	USPAT; US-PGPUB; EPO	2004/10/13 15:15
-	6469	(buffer\$4 queue memor\$4) and transmit\$3 and receive\$3 and (uplink reverse) and (downlink forward) and monit\$4 and allocat\$4	USPAT; US-PGPUB; EPO	2004/10/13 16:28
-	4608	((370/468) or (370/328-329) or (455/450)).CCLS.	USPAT; US-PGPUB; EPO	2004/10/13 15:19
-	365	((buffer\$4 queue memor\$4) and transmit\$3 and receive\$3 and (uplink reverse) and (downlink forward) and monit\$4 and allocat\$4) and (((370/468) or (370/328-329) or (455/450)).CCLS.)	USPAT; US-PGPUB; EPO	2004/10/13 15:59
-	326	((buffer\$4 queue memor\$4) and transmit\$3 and receive\$3 and (uplink reverse) and (downlink forward) and monit\$4 and allocat\$4) and (((370/468) or (370/328-329) or (455/450)).CCLS.) AND (wireless radio tetherless)	USPAT; US-PGPUB; EPO	2004/10/13 16:00

-	145	((buffer\$4 queue memor\$4) and transmit\$3 and receive\$3 and (uplink reverse) and (downlink forward) and monit\$4 and allocat\$4 and (((370/468) or (370/328-329) or (455/450)).CCLS.) AND (wireless radio tetherless) AND TDM\$1 AND (timeslot (time ADJO slot)))	USPAT; US-PGPUB; EPO	2004/10/13 16:01
-	213	((buffer\$4 queue memor\$4) and transmit\$3 and receive\$3 and (uplink reverse) and (downlink forward) and monit\$4 and allocat\$4 and (((370/468) or (370/328-329) or (455/450)).CCLS.) AND (wireless radio tetherless) AND TDM\$1	USPAT; US-PGPUB; EPO	2004/10/13 16:23
-	213	((buffer\$4 queue memor\$4) and transmit\$3 and receive\$3 and (uplink reverse) and (downlink forward) and monit\$4 and allocat\$4 and (((370/468) or (370/328-329) or (455/450)).CCLS.) AND (wireless radio tetherless) AND TDM\$1 and allocat\$3	USPAT; US-PGPUB; EPO	2004/10/13 16:23
-	5121	(370/329-337).CCLS.	USPAT; US-PGPUB; EPO	2004/10/13 16:26
-	1032	(buffer\$4 queue memor\$4) and transmit\$3 and receive\$3 and (uplink reverse) and (downlink forward) and monit\$4 and allocat\$4 AND (wireless radio tetherless) AND TDM\$1 AND (timeslot (time ADJO slot))	USPAT; US-PGPUB; EPO	2004/10/13 16:29
-	217	((370/329-337).CCLS.) AND ((buffer\$4 queue memor\$4) and transmit\$3 and receive\$3 and (uplink reverse) and (downlink forward) and monit\$4.and allocat\$4 AND (wireless radio tetherless) AND TDM\$1 AND (timeslot (time ADJO slot)))	USPAT; US-PGPUB; EPO	2004/10/13 16:30
-	2	("6097733").PN.	USPAT; US-PGPUB; EPO; DERWENT	2004/10/14 15:50